



Advanced Collaborative Emissions Study (ACES)

Cooperative multi-party effort to characterize emissions and possible health effects of new advanced heavy duty engine and control systems and fuels in the market 2007 – 2010.

October 2012

D. Greenbaum¹, <u>C. Tennant²</u>, Imad Khalek³, R. Shaikh¹, M. Costantini¹, A van Erp¹, B. Bailey²

¹Health Effects Institute (HEI), ²Coordinating Research Council (CRC), and ³Southwest Research Institute

PROJECT SPONSORS

US Department of Energy (DOE) OVT and NETL
Engine Manufacturers Association (EMA)
US Environmental Protection Agency (EPA)
California Air Resources Board (ARB)
American Petroleum Institute (API)
Aftertreatment Manufacturers
Coordinating Research Council (CRC)

Project Overview

Phases:

- 1. 2007 Engine Emissions Characterization (Southwest Research Institute (SWRI))
 - CRC Technical Leader
- 2. 2010 Engine Emissions Characterization
 - CRC Technical Leader
- 3. 2007/2010 Engine Health Effects Testing (Lovelace Respiratory Research Institute (LRRI)
 - Short Term biological screening and Long-Term Health Effects Test on 2007 Engines
 - HEI Technical Leader
 - CRC Technical Monitor

Overall Project Timeline

	2007	2008	2009	2010	2011	2012	2013	2014
Phase 1: Testing								
Phase 1: Analysis & Reporting								
Phase 2: Testing								
Phase 2: Analysis & Reporting								
Phase 3: Facilities Development								
Phase 3: Animal Biological Screening and Health Testing								
Phase 3: Analysis & Reporting								





Phase 2: Approach

- Phase 1 Protocol
- Focused on FTP, 16-hour Cycle (used in all Phases)
- Engines using a common lubricant supplied by Lubrizol
 - "Degreened" to OEM protocols
- Fuel commercially sourced from same vendor as Phase 3





Status

Phase 2


- 3 Manufacturers provided engines:
 - Cummins, DDC, Volvo
- Engine "X, Y" testing complete
- Engine "Z" testing in progress=

	2012							2013										
Tasks	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct	Nov.	Dec.	Jan.	Feb.	March	April	May	June July
Project Management Plan																		
Test Cell Preparation																		
First Engine Testing									4	ا ح								
Second Engine Testing										7	7							
Third Engine Testing																		
Analysis and Draft Final Report										10								
Comments on Draft Final												67.					1	
Final Report																		
Database																		





Phase 2 Measurements




®

Analyte Class	nalyte Class Notes				
Regulated Emissions	NOx, NMHC, CO, PM, CH4, CO2, N2O	Method CFR Part 1065			
N ₂ O, NH ₃ , isocyanic acid and methyl isocyanate	Real Time, Raw Exhaust	FTIR			
NOx, NO, NO ₂	Real Time Dilute	Cchemi. (NO ₂ by difference)			
Ions	Water Impinger (4 slpm), 47 mm TX-40 filter (28 slpm)	IC			
Fuel/Oil PM Contribution	47 mm TX-40 filter, selected samples only, 28 slpm	DFI/GC			
Hydrogen Ion	H ⁺ , water impinger, 4 slpm	Titration			
Cyanide Ion	Impinger, 4 slpm	IC			
$VOC (C_1 - C_{12})$	Tedlar ® bag	GC/FID			
Carbonyl compounds	DNPH impingers, 4 slpm	HPLC			
Alcohols	DI water impinger, 4 slpm	GC/FID			
Selected VOCs	Solid sorbent, 1 slpm (nitromethane, nitropropane, hydrogen sulfide, carbonyl sulfide)	GC/MS			
Dioxins/Furans	One sample per engine, on 16-hr integrated sample, gas- and particle-phase extracts analyzed together, 1700 slpm	GC/MS			
Real Time Total PM	1Hz, 10 slpm	DMM-230			
Real Time Soot	1Hz, 2 slpm	MSS			
Real Time PM Size and Number	1Hz, 10 slpm	EEPS			
Metals and Elements	47 mm Teflo [®] filter, 28 slpm	ICP/MS, ICP, EDXRF			
РАН	Gas- and particle-phase extracts analyzed together, except 16-Hour integrated sample, 1700 slpm	GC/MS			
Nitro-PAH	Gas- and particle-phase extracts analyzed together, except 16-Hour integrated sample, 1700 slpm	GC/MS			
Hopanes, Steranes	Gas- and particle-phase extracts analyzed together, except 16-Hour integrated sample, 1700 slpm	GC/MS			
Polar compounds	Gas- and particle-phase extracts analyzed together, except 16-Hour integrated sample, 1700 slpm	GC/MS			
Other SVOC (C ₁₄ -C ₄₀)	Gas- and particle-phase extracts analyzed together, except 16-Hour integrated sample, 1700 slpm	GC/MS			
Nitrosamines	Thermosorb N®, 1 slpm	GC/MS			
OC/EC	Quartz filters, 58 slpm	TOR and TOT			
Particle-Phase Urea Compounds	TX-40 filter, 90 mm, ~336 slpm	ESI-MS			



Phase 2 Sampling



New for Phase 2: Urea Compounds

- Dr. John Storey (Oak Ridge National Laboratory)
- Particulate-phase urea compounds
 - Large (90 mm) filter
 - Sampling over entire 16 hour aging cycle
 - Atmospheric Pressure Chemical Ionization Mass Spec (APCI-MS)
 - ammelide, ammeline, biuret, cyanuric acid, melamine, triuret, and urea





CRC ACES Panel

Reynaldo Agama Caterpillar, Inc.

Ewa Bardasz Lubrizol Corporation

Nick Barsic John Deere

Maria Costantini Health Effects Institute

Christopher Dea Caterpillar, Inc.

Dominic DiCicco Ford Motor Company

Timothy A. French Truck & Engine Mfrs Association

Rob Graze Caterpillar, Inc.

Garry Gunter Phillips 66

Thomas D. Hesterberg Navistar, Inc.

Donald Keski-Hynnila Detroit Diesel Corporation

Dan Kieffer Paccar Inc.

George Lin Caterpillar, Inc.

Chris Laroo US Environmental Protection Agency

Hector Maldonado California Air Resources Board

M. Matti Maricq Ford Motor Company

Jeff Marley Volvo Group Trucks Technology

Carl Maronde National Energy Technology Laboratory

Mani Natarajan Marathon Petroleum Company LP

Ralph Nine National Energy Technology Laboratory

Jeff Shaffer Volvo Powertrain North America

Rashid Shaikh Health Effects Institute

Shirish Shimpi Cummins, Inc.

Joseph H. Somers US Environmental Protection Agency

John M. Storey Oak Ridge National Laboratory

Chris Tennant Coordinating Research Council

Steven S. Trevitz Volvo Powertrain North America

Annemoon van Erp Health Effects Institute

Timothy Wallington Ford Motor Company

Matt Watkins ExxonMobil Research & Engineering

Andre Welch Ford Motor Company





For further information, contact:

Chris Tennant

Deputy Director

Coordinating Research Council

ctennant@crcao.org

678-795-0506 x105

Rashid Shaikh

Director of Science

Health Effects Institute

rshaikh@healtheffects.org

(617) 488-2301



